ELSEVIER

General Subjects

Vol. 1380, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Abe, T., Yamamura, K., Gotoh, S., Kashimura, M. and Higashi, K.
Concentration-dependent differential effects of *N*-acetyl-L-cysteine on the expression of HSP70 and metallothionein genes induced by cadmium in human amniotic cells (1380) 123
Adhikari, S., Joshi, R. and Gopinathan, C.
Bilirubin as an anti precipitant against copper mediated denaturation of bovine serum albumin: formation of copper–bilirubin complex (1380) 109
Asanome, K., see Ohmori, S. (1380) 297
Asplund, T., Brinck, J., Suzuki, M., Briskin, M.J. and Heldin, P.
Characterization of hyaluronan synthase from a human glioma cell line (1380) 377

Baker, E., Baker, S.M. and Morgan, E.H.
Characterisation of non-transferrin-bound iron (ferric citrate) uptake by rat hepatocytes in culture (1380) 21
Ballas, S.K., see Kim-Shapiro, D.B. (1380) 64
Bannai, S., see Sasaki, K. (1380) 275
Barnes, L.D., see Guranowski, A. (1380) 232
Bell, J.D., see Changani, K.K. (1380) 198
Belogortseva, N., Molchanova, V., Glazunov, V., Evtushenko, E. and Luk'yanov, P.
N-Acetyl-D-glucosamine-specific lectin from the ascidian *Didemnum ternatanum* (1380) 249
Bong, Y.-S., Cho, S.-H., Nham, S.-U. and Lee, Y.-I.
Cloning and characterization of cDNAs coding for heavy and light chains of agglutinating monoclonal antibody (HAG12islrh) specific for human red blood cells (1380) 156
Brinck, J., see Asplund, T. (1380) 377
Briskin, M.J., see Asplund, T. (1380) 377

Campbell, A.A., see Letellier, S.R. (1380) 31
Catania, V.A., Luquita, M.G., Sánchez Pozzi, E.J. and Mottino, A.D.
Enhancement of intestinal UDP-glucuronosyltranferase activity in partially hepatectomized rats (1380) 345
Changani, K.K., Bell, J.D. and Iles, R.A.
^{13}C-Glycogen deposition during pregnancy in the rat following routine meal feeding (1380) 198
Chen, J., Schenker, S., Frosto, T.A. and Henderson, G.I.
Inhibition of cytochrome *c* oxidase activity by 4-hydroxynonenal (HNE). Role of HNE adduct formation with the enzyme subunits (1380) 336
Cho, S.-H., see Bong, Y.-S. (1380) 156
Chow, T., see Hiroi, T. (1380) 305
Chung, H.K., see Ryu, C.J. (1380) 151
Crăciun, A.M., Groenen-van Dooren, M.M.C.L., Thijssen, H.H.W. and Vermeer, C.
Induction of prothrombin synthesis by K-vitamins compared in vitamin K-deficient and in brodifacoum-treated rats (1380) 75

Day, S.-H., see Lin, C.-N. (1380) 115
DeMoor, L.M., see Smith, J.E. (1380) 10
Derave, W., see Wojtaszewski, J.F.P. (1380) 396
Dondi, M., see Volpi, N. (1380) 239

Engel, W.-D., see Peter, J. (1380) 93
Evtushenko, E., see Belogortseva, N. (1380) 249

Fong, W.F., see Yang, M. (1380) 329
Frosto, T.A., see Chen, J. (1380) 336
Fukuda, Y., see Kato, O. (1380) 369
Fulco, A.J., see Liang, Q. (1380) 183
Funae, Y., see Hiroi, T. (1380) 305
Furukawa, K., see Sakiyama, T. (1380) 268

Galzigna, L., see Smythies, J. (1380) 159
Glazunov, V., see Belogortseva, N. (1380) 249
Gopinathan, C., see Adhikari, S. (1380) 109
Gotoh, S., see Abe, T. (1380) 123
Green, E.L., see Smith, J.E. (1380) 10
Groenen-van Dooren, M.M.C.L., see Crăciun, A.M. (1380) 75
Guranowski, A., Starzyńska, E., Barnes, L.D., Robinson, A.K. and Liu, S.
Adenosine 5′-tetraphosphate phosphohydrolase activity is an inherent property of soluble exopolyphosphatase from yeast *Saccharomyces cerevisiae* (1380) 232

Hamada, T., see Nishimura, M. (1380) 1
Handler, C.E., see Smith, J.E. (1380) 10
Hanukoglu, I., see Rapoport, R. (1380) 133
Hayakawa, T., see Kato, O. (1380) 369
Heldin, P., see Asplund, T. (1380) 377
Henderson, G.I., see Chen, J. (1380) 336
Hernández, L.M., see Mañas, P. (1380) 320
Herwig, W., see Hipkiss, A.R. (1380) 46
Higashi, K., see Abe, T. (1380) 123
Himsworth, D.T.J., see Hipkiss, A.R. (1380) 46
Hipkiss, A.R., Worthington, V.C., Himsworth, D.T.J. and Herwig, W.
Protective effects of carnosine against protein modification mediated by malondialdehyde and hypochlorite (1380) 46
Hiroi, T., Imaoka, S., Chow, T. and Funae, Y.
Tissue distributions of CYP2D1, 2D2, 2D3 and 2D4 mRNA in rats detected by RT-PCR (1380) 305
Hösel, W., see Peter, J. (1380) 93
Hosokawa, M., see Ohmori, S. (1380) 297
Huang, P.-L., see Lin, C.-N. (1380) 115

Iles, R.A., see Changani, K.K. (1380) 198
Imahori, K., see Michel, G. (1380) 177
Imaoka, S., see Hiroi, T. (1380) 305
Ishiguro, K., see Michel, G. (1380) 177
Ishii, I., see Ohmori, S. (1380) 297
Izuta, S., see Kato, O. (1380) 369

ELSEVIER

General Subjects

Vol. 1380, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Abe, T., Yamamura, K., Gotoh, S., Kashimura, M. and Higashi, K.
Concentration-dependent differential effects of *N*-acetyl-L-cysteine on the expression of HSP70 and metallothionein genes induced by cadmium in human amniotic cells (1380) 123
Adhikari, S., Joshi, R. and Gopinathan, C.
Bilirubin as an anti precipitant against copper mediated denaturation of bovine serum albumin: formation of copper–bilirubin complex (1380) 109
Asanome, K., see Ohmori, S. (1380) 297
Asplund, T., Brinck, J., Suzuki, M., Briskin, M.J. and Heldin, P.
Characterization of hyaluronan synthase from a human glioma cell line (1380) 377

Baker, E., Baker, S.M. and Morgan, E.H.
Characterisation of non-transferrin-bound iron (ferric citrate) uptake by rat hepatocytes in culture (1380) 21
Ballas, S.K., see Kim-Shapiro, D.B. (1380) 64
Bannai, S., see Sasaki, K. (1380) 275
Barnes, L.D., see Guranowski, A. (1380) 232
Bell, J.D., see Changani, K.K. (1380) 198
Belogortseva, N., Molchanova, V., Glazunov, V., Evtushenko, E. and Luk'yanov, P.
N-Acetyl-D-glucosamine-specific lectin from the ascidian *Didemnum ternatanum* (1380) 249
Bong, Y.-S., Cho, S.-H., Nham, S.-U. and Lee, Y.-I.
Cloning and characterization of cDNAs coding for heavy and light chains of agglutinating monoclonal antibody (HAG12islrh) specific for human red blood cells (1380) 156
Brinck, J., see Asplund, T. (1380) 377
Briskin, M.J., see Asplund, T. (1380) 377

Campbell, A.A., see Letellier, S.R. (1380) 31
Catania, V.A., Luquita, M.G., Sánchez Pozzi, E.J. and Mottino, A.D.
Enhancement of intestinal UDP-glucuronosyltranferase activity in partially hepatectomized rats (1380) 345
Changani, K.K., Bell, J.D. and Iles, R.A.
^{13}C-Glycogen deposition during pregnancy in the rat following routine meal feeding (1380) 198
Chen, J., Schenker, S., Frosto, T.A. and Henderson, G.I.
Inhibition of cytochrome *c* oxidase activity by 4-hydroxynonenal (HNE). Role of HNE adduct formation with the enzyme subunits (1380) 336
Cho, S.-H., see Bong, Y.-S. (1380) 156
Chow, T., see Hiroi, T. (1380) 305
Chung, H.K., see Ryu, C.J. (1380) 151
Crăciun, A.M., Groenen-van Dooren, M.M.C.L., Thijssen, H.H.W. and Vermeer, C.
Induction of prothrombin synthesis by K-vitamins compared in vitamin K-deficient and in brodifacoum-treated rats (1380) 75

Day, S.-H., see Lin, C.-N. (1380) 115
DeMoor, L.M., see Smith, J.E. (1380) 10
Derave, W., see Wojtaszewski, J.F.P. (1380) 396
Dondi, M., see Volpi, N. (1380) 239

Engel, W.-D., see Peter, J. (1380) 93
Evtushenko, E., see Belogortseva, N. (1380) 249

Fong, W.F., see Yang, M. (1380) 329
Frosto, T.A., see Chen, J. (1380) 336
Fukuda, Y., see Kato, O. (1380) 369
Fulco, A.J., see Liang, Q. (1380) 183
Funae, Y., see Hiroi, T. (1380) 305
Furukawa, K., see Sakiyama, T. (1380) 268

Galzigna, L., see Smythies, J. (1380) 159
Glazunov, V., see Belogortseva, N. (1380) 249
Gopinathan, C., see Adhikari, S. (1380) 109
Gotoh, S., see Abe, T. (1380) 123
Green, E.L., see Smith, J.E. (1380) 10
Groenen-van Dooren, M.M.C.L., see Crăciun, A.M. (1380) 75
Guranowski, A., Starzyńska, E., Barnes, L.D., Robinson, A.K. and Liu, S.
Adenosine 5′-tetraphosphate phosphohydrolase activity is an inherent property of soluble exopolyphosphatase from yeast *Saccharomyces cerevisiae* (1380) 232

Hamada, T., see Nishimura, M. (1380) 1
Handler, C.E., see Smith, J.E. (1380) 10
Hanukoglu, I., see Rapoport, R. (1380) 133
Hayakawa, T., see Kato, O. (1380) 369
Heldin, P., see Asplund, T. (1380) 377
Henderson, G.I., see Chen, J. (1380) 336
Hernández, L.M., see Mañas, P. (1380) 320
Herwig, W., see Hipkiss, A.R. (1380) 46
Higashi, K., see Abe, T. (1380) 123
Himsworth, D.T.J., see Hipkiss, A.R. (1380) 46
Hipkiss, A.R., Worthington, V.C., Himsworth, D.T.J. and Herwig, W.
Protective effects of carnosine against protein modification mediated by malondialdehyde and hypochlorite (1380) 46
Hiroi, T., Imaoka, S., Chow, T. and Funae, Y.
Tissue distributions of CYP2D1, 2D2, 2D3 and 2D4 mRNA in rats detected by RT-PCR (1380) 305
Hösel, W., see Peter, J. (1380) 93
Hosokawa, M., see Ohmori, S. (1380) 297
Huang, P.-L., see Lin, C.-N. (1380) 115

Iles, R.A., see Changani, K.K. (1380) 198
Imahori, K., see Michel, G. (1380) 177
Imaoka, S., see Hiroi, T. (1380) 305
Ishiguro, K., see Michel, G. (1380) 177
Ishii, I., see Ohmori, S. (1380) 297
Izuta, S., see Kato, O. (1380) 369

Jeyaseelan, K., Armugam, A., Lachumanan, R., Tan, C.H. and Tan, N.H.
Six isoforms of cardiotoxin in Malayan spitting cobra (*Naja naja sputatrix*) venom: cloning and characterization of cDNAs (1380) 209

Kabayama, M., see Sakiyama, T. (1380) 268
Kashimura, M., see Abe, T. (1380) 123
Kato, O., Fukuda, Y., Hayakawa, T., Izuta, S. and Yoshida, S.
Serum DNA polymerase β as an indicator for fatal liver injury of rat induced by D-galactosamine hydrochloride and lipopolysaccharide (1380) 369
Kawamoto, T., see Nishimura, M. (1380) 1
Kawanishi, Y., see Sato, T. (1380) 82
Kawata, M., see Nishimura, M. (1380) 1
Kim-Shapiro, D.B., King, S.B., Bonifant, C.L., Kolibash, C.P. and Ballas, S.K.
Time resolved absorption study of the reaction of hydroxyurea with sickle cell hemoglobin (1380) 64
Kitada, M., see Ohmori, S. (1380) 297
Ko, Y.-L., see Lin, C.-N. (1380) 115
Koizumi, M., see Mumby, S. (1380) 102
Kolibash, C.P., see Kim-Shapiro, D.B. (1380) 64
Kurose, Y., see Ohmori, S. (1380) 297

Lachumanan, R., see Jeyaseelan, K. (1380) 209
Lam, W., see Yang, M. (1380) 329
Laustsen, J.L., see Wojtaszewski, J.F.P. (1380) 396
Lee, Y.-L., see Bong, Y.-S. (1380) 156
Letellier, S.R., Lochhead, M.J., Campbell, A.A. and Vogel, V.
Oriented growth of calcium oxalate monohydrate crystals beneath phospholipid monolayers (1380) 31
Liang, Q., Chen, L. and Fulco, A.J.
In vivo roles of Bm3R1 repressor in the barbiturate-mediated induction of the cytochrome P450 genes ($P450_{BM-1}$ and $P450_{BM-3}$) of *Bacillus megaterium* (1380) 183
Lin, C.-N., Huang, P.-L., Wang, J.-J., Day, S.-H., Lin, H.-C., Wang, J.-P., Ko, Y.-L. and Teng, C.-M.
Stereochemistry and biological activities of constituents from *Cynanchum taiwanianum* (1380) 115
Liu, S., see Guranowski, A. (1380) 232
Lochhead, M.J., see Letellier, S.R. (1380) 31
Luk'yanov, P., see Belogortseva, N. (1380) 249
Luquita, M.G., see Catania, V.A. (1380) 345

Makino, N., see Sasaki, K. (1380) 275
Mañas, P., Olivero, I. and Hernández, L.M.
Proteolytic processing of a secreted glycoprotein and O-glycosylation of mannoproteins are affected in the N-glycosylation mutant *Saccharomyces cerevisiae ldb1* (1380) 320
May, J.M., see Mendiratta, S. (1380) 389
Mendiratta, S., Qu, Z.-c. and May, J.M.
Erythrocyte defenses against hydrogen peroxide: the role of ascorbic acid (1380) 389
Michel, G., Mercken, M., Murayama, M., Noguchi, K., Ishiguro, K., Imahori, K. and Takashima, A.
Characterization of tau phosphorylation in glycogen synthase kinase-3β and cyclin dependent kinase-5 activator (p23) transfected cells (1380) 177
Morgan, E.H., see Baker, E. (1380) 21
Mottino, A.D., see Catania, V.A. (1380) 345
Mukai, H., see Sakiyama, T. (1380) 268
Mukudai, Y., see Nishimura, M. (1380) 1

Mumby, S., Koizumi, M., Taniguchi, N. and Gutteridge, J.M.C.
Reactive iron species in biological fluids activate the iron–sulphur cluster of aconitase (1380) 102

Nakamasu, K., see Nishimura, M. (1380) 1
Nakamura, J.-i., see Sakiyama, T. (1380) 268
Nakamura, M., see Sato, T. (1380) 82
Nakamura, S., see Nishimura, M. (1380) 1
Nakasa, H., see Ohmori, S. (1380) 297
Nappi, A.J. and Vass, E.
Hydroxyl radical formation resulting from the interaction of nitric oxide and hydrogen peroxide (1380) 55
Nishimura, M., Yan, W., Mukudai, Y., Nakamura, S., Nakamasu, K., Kawata, M., Kawamoto, T., Noshiro, M., Hamada, T. and Kato, Y.
Role of chondroitin sulfate–hyaluronan interactions in the viscoelastic properties of extracellular matrices and fluids (1380) 1
Noshiro, M., see Nishimura, M. (1380) 1

Ohmori, S., Nakasa, H., Asanome, K., Kurose, Y., Ishii, I., Hosokawa, M. and Kitada, M.
Differential catalytic properties in metabolism of endogenous and exogenous substrates among CYP3A enzymes expressed in COS-7 cells (1380) 297
Okahata, Y., see Sato, T. (1380) 82
Olivero, I., see Mañas, P. (1380) 320
Oupicky, D., see Toncheva, V. (1380) 354

Paoletti, S., see Vetere, A. (1380) 223
Peter, J., Unverzagt, C., Engel, W.-D., Renauer, D., Seidel, C. and Hösel, W.
Identification of carbohydrate deficient transferrin forms by MALDI-TOF mass spectrometry and lectin ELISA (1380) 93

Rapoport, R., Sklan, D., Wolfenson, D., Shaham-Albalancy, A. and Hanukoglu, I.
Antioxidant capacity is correlated with steroidogenic status of the corpus luteum during the bovine estrous cycle (1380) 133
Richter, E.A., see Wojtaszewski, J.F.P. (1380) 396
Rimon, G. and Rubin, M.
Regulation of a common, low-affinity binding site for primary prostanoids on bovine aortic endothelial cells (1380) 289
Robinson, A.K., see Guranowski, A. (1380) 232
Rubin, M., see Rimon, G. (1380) 289
Ryu, C.J., Chung, H.K. and Hong, H.J.
Cloning and sequence analysis of cDNAs encoding the heavy and light chain variable regions of a human monoclonal antibody with specificity for hepatitis B surface antigen (1380) 151

Saito, H.
Purification and characterization of two insecticyanin-type proteins from the larval hemolymph of the Eri-silkworm, *Samia cynthia ricini* (1380) 141
Sakiyama, T., Kabayama, M., Tomita, M., Nakamura, J.-i., Mukai, H., Tomita, Y. and Furukawa, K.
Distribution of glycoproteins with β-*N*-acetylgalactosaminylated N-linked sugar chains among bovine tissues (1380) 268
Sasaki, K., Bannai, S. and Makino, N.
Kinetics of hydrogen peroxide elimination by human umbilical vein endothelial cells in culture (1380) 275
Sato, T., Serizawa, T., Ohtake, F., Nakamura, M., Terabayashi, T., Kawanishi, Y. and Okahata, Y.
Quantitative measurements of the interaction between monosialogan-

glioside monolayers and wheat germ agglutinin (WGA) by a quartz-crystal microbalance (1380) 82
Schenker, S., see Chen, J. (1380) 336
Seidel, C., see Peter, J. (1380) 93
Serizawa, T., see Sato, T. (1380) 82
Seymour, L.W., see Toncheva, V. (1380) 354
Shaham-Albalancy, A., see Rapoport, R. (1380) 133
Shimizu, S., see Sugahara, T. (1380) 163
Sklan, D., see Rapoport, R. (1380) 133
Smith, J.E., DeMoor, L.M., Handler, C.E., Green, E.L. and Ritter, S.J.
The complex between retinol and retinol-binding protein is formed in the rough microsomes of liver following repletion of vitamin A-depleted rats (1380) 10
Smythies, J. and Galzigna, L.
The oxidative metabolism of catecholamines in the brain: a review (1380) 159
Sugahara, T., Shimizu, S., Abiru, M., Matsuoka, S. and Sasaki, T.
A novel function of enolase from rabbit muscle; an immunoglobulin production stimulating factor (1380) 163
Suzuki, M., see Asplund, T. (1380) 377

Takashima, A., see Michel, G. (1380) 177
Tan, C.H., see Jeyaseelan, K. (1380) 209
Tan, N.H., see Jeyaseelan, K. (1380) 209
Taniguchi, N., see Mumby, S. (1380) 102
Teng, C.-M., see Lin, C.-N. (1380) 115
Terabayashi, T., see Sato, T. (1380) 82
Thijssen, H.H.W., see Crăciun, A.M. (1380) 75
Tomita, M., see Sakiyama, T. (1380) 268
Tomita, Y., see Sakiyama, T. (1380) 268
Toncheva, V., Wolfert, M.A., Dash, P.R., Oupicky, D., Ulbrich, K., Seymour, L.W. and Schacht, E.H.
Novel vectors for gene delivery formed by self-assembly of DNA with poly(L-lysine) grafted with hydrophilic polymers (1380) 354

Ueda, I. and Suzuki, A.
Irreversible phase transition of firefly luciferase: contrasting effects of volatile anesthetics and myristic acid (1380) 313
Unverzagt, C., see Peter, J. (1380) 93

Vass, E., see Nappi, A.J. (1380) 55
Vermeer, C., see Crăciun, A.M. (1380) 75
Vetere, A. and Paoletti, S.
Separation and characterization of three β-galactosidases from *Bacillus circulans* (1380) 223
Volpi, N., Dondi, M. and Bolognani, A.M.F.
Characterization of a small chondroitin sulfate proteoglycan isolated from the mucus surrounding the embryos of *Viviparus ater* (Mollusca Gastropoda) (1380) 239

Wang, J.-P., see Lin, C.-N. (1380) 115
White, R.H.
Methanopterin biosynthesis: methylation of the biosynthetic intermediates (1380) 257
Wojtaszewski, J.F.P., Laustsen, J.L., Derave, W. and Richter, E.A.
Hypoxia and contractions do not utilize the same signaling mechanism in stimulating skeletal muscle glucose transport (1380) 396
Wolfert, M.A., see Toncheva, V. (1380) 354
Worthington, V.C., see Hipkiss, A.R. (1380) 46

Yamamura, K., see Abe, T. (1380) 123
Yan, W., see Nishimura, M. (1380) 1
Yang, M., Chan, H.L., Lam, W. and Fong, W.F.
Cytotoxicity and DNA binding characteristics of dextran-conjugated doxorubicins (1380) 329